



# ORDER / SPECIFICATION FORM

36 Mason Street / Buffalo, NY 14213 / 1-800-435-0065 / Fax 716-881-0349 / www.jerrymillershoes.com

**VERY IMPORTANT**  
Please provide a weight-bearing tracing of your patient on the inside pages of this order form.

Date: \_\_\_\_\_ PO#(if needed) \_\_\_\_\_

**Shipping:**    Two Day    Ground    Overnight

**Ship to:**

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

E Mail \_\_\_\_\_

Phone \_\_\_\_\_

Fax \_\_\_\_\_

Contact Person Regarding Order: \_\_\_\_\_

**Bill to:**

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Patient Name \_\_\_\_\_

Sex \_\_\_\_\_ Weight \_\_\_\_\_ Age \_\_\_\_\_

Occupation \_\_\_\_\_

Had Jerry Miller Shoes before – Approx. Date \_\_\_\_\_

Invoice/CAD/CAM # \_\_\_\_\_

Repeat CAD/CAM order as before, no changes \_\_\_\_\_

Repeat CAD/CAM order but with the following changes shown on order form: \_\_\_\_\_

**Diagnosis**

Diabetic    Club Foot    Charcot    Arthritic

Post Polio

Amputee - which areas? \_\_\_\_\_

Special \_\_\_\_\_

**Last Modification:**

Regular Elongation (5/8")

1/8" Extra Elongation (5/8"+1/8")

High Toe Box

Extra High Toe Box

Special \_\_\_\_\_

**Removable Plastazote® Molded Insert**

None

1/4" Pink + 1/4" White

1/4" White (firm)

1/4" Pink (soft)

1/8" Poron Middle

1/8" Poron Bottom

1/4" Poron Bottom

Special \_\_\_\_\_

One Pair    Two Pairs    Three Pairs

1/2" White (firm)

1/2" Pink (soft)

Thermo-cork

Spenco Top Cover

Leather Top Cover

**Type of Casting**

Casted over AFO    LF    RF

Casted over Prosthetic Foot    LF    RF

**Style** \_\_\_\_\_

**Color** \_\_\_\_\_

Please note that the colors may vary from swatches as printed in catalog or shown on website

**Type of Opening**

Regular Opening

Opening To Ball of Foot (Semi-Surgical)

Opening To End of Toes (Surgical)

**Type of Closure**

Lace

Speed Lace (Top three eyelets unless specified)

Velcro Strap

Velcro with D-Ring

Special \_\_\_\_\_

**Lining**

Regular (glove leather)    Spenco

Fleece    Black Sports

Plastazote    Tan Sports

Flannel

Check here if lining is for HEEL ONLY

**Finishing**

Perforate Top    Met Pads

Perforate Arch    Stitch Tongue to Medial Side

Pull Loops    Stitch Tongue to Lateral Side

Tongue Loops    Special \_\_\_\_\_

### Soling

- 15 Iron (at no additional cost)
- Leather Heel (outside)
- Leather Sole
- Mini Rib
- Soft Spike
- Soft Vibram
- Neolite Heel
- Infinity
- Topy Cover
- Work Cover
- Lug
- Outside Heel
- Silvano

Special \_\_\_\_\_

- Rocker Sole
  - Left Foot:  Heel to Toe  Forefoot  Aggressive
  - Right Foot:  Heel to Toe  Forefoot  Aggressive

### Construction

- Regular
- Heavy Duty
- Reinforce Counters

### Short Limb Raise

	L	R
Heel	<input type="checkbox"/> _____	<input type="checkbox"/> _____
Ball	<input type="checkbox"/> _____	<input type="checkbox"/> _____
Toe	<input type="checkbox"/> _____	<input type="checkbox"/> _____
Raise inside shoe covered with leather	<input type="checkbox"/> _____	<input type="checkbox"/> _____
Raise outside shoe on soling	<input type="checkbox"/> _____	<input type="checkbox"/> _____
Special :	_____	
	_____	
	_____	

### Base Modifications

- Lateral Flare  L  R
- Medial Flare  L  R
- Wide Base  L  R
- Lateral Wedge  L  R
- Medial Wedge  L  R

### External Additions

- Amputation Filler — match length and shape  L  R
- No Amputation Filler  L  R
- Steel Shank 3/4 length  L  R
- Steel Shank full length  L  R
- Reinforce for Brace  L  R
- Leave Outside Wedge and Final Outsole off  L  R
- Leave Final Outsole off  L  R
- Attach Jerry Miller's 7/8" Caliper  L  R
- Attach Customer's 7/8" Caliper/Stirrup  L  R
- T-Strap Lateral  L  R  Unattach?
- T-Strap Medial  L  R  Unattach?
- Thermo Plastic Toe Cap  L  R
- Steel Toe  L  R

If Standard Steel Toes cannot accommodate certain deformities, shapes and sizes, may we substitute a Thermo Plastic Toe Cap?  Yes  No

### Special Instructions (please print):


\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

### Indicate any Lesions (ie. Amputations or Ulcerations)

- Recess on Insert Only
- Recess on Insert and Base of Shoe



# WEIGHT-BEARING TRACINGS

(Hold pencil vertically when tracing)

---

Left Heel

Right Heel